

## Supplementary Material

*Supplementary data depicting all correlations and comparisons made as well as their statistical significance values.*

N = 21,218	Total		Ratio	
<b>Psychopharmacological agents</b>		<b>Antidepressants</b>	<b>Anxiolytics</b>	<b>Antidep    Anxioly</b>
<b>Medications (total)</b>	21218 (100%)	7660 (36.10%)	3444 (16.23%)	<u>2.22    1</u> p-value = 0.00001
		<b>Anxiolytics</b>	<b>Psychostimulants</b>	<b>Anxioly    Stimul</b>
<b>Medications (total)</b>	21218 (100%)	3444 (16.23%)	1055 (4.97%)	<u>3.27    1</u> p-value = 0.00001
		<b>Psychostimulants</b>	<b>Antipsychotics</b>	<b>Stimul    Antipsy</b>
<b>Medications (total)</b>	21218 (100%)	1055 (4.97%)	798 (3.76%)	<u>1.32    1</u> p-value = 0.00001
		<b>Antidepressants</b>	<b>Psychostimulants</b>	<b>Antidep    Stimul</b>
<b>Medications (total)</b>	21218 (100%)	7660 (36.10%)	1055 (4.97%)	<u>7.26    1</u> p-value = 0.00001
		<b>Antidepressants</b>	<b>Antipsychotics</b>	<b>Antidep    Antipsy</b>
<b>Medications (total)</b>	21218 (100%)	7660 (36.10%)	798 (3.76%)	<u>9.60    1</u> p-value = 0.00001
		<b>Anxiolytics</b>	<b>Antipsychotics</b>	<b>Anxioly    Antipsy</b>
<b>Medications (total)</b>	21218 (100%)	3444 (16.23%)	798 (3.76%)	<u>4.32    1</u> p-value = 0.00001
		<b>FGAs</b>	<b>SGAs</b>	<b>FGAs    SGAs</b>
<b>Antipsychotics (Total)</b>	798 (100%)	79 (9.9%)	719 (90.10%)	<u>1    9.10</u> p-value = 0.00001
		<b>SSRIs</b>	<b>SNRIs</b>	<b>SSRIs    SNRIs</b>
<b>Antidepressants (Total)</b>	7660 (100%)	4569 (59.65%)	1870 (24.41%)	<u>2.44    1</u> p-value = 0.00001
		<b>SNRIs</b>	<b>Other</b>	<b>SNRIs    Other</b>
<b>Antidepressants (Total)</b>	7660 (100%)	1870 (24.41%)	1221 (15.94%)	<u>1.53    1</u> p-value = 0.00001
		<b>SSRIs</b>	<b>Other</b>	<b>SSRIs    Other</b>
<b>Antidepressants (Total)</b>	7660 (100%)	4569 (59.65%)	1221 (15.94%)	<u>3.74    1</u> p-value = 0.00001
		<b>Benzodiazepines</b>	<b>Other</b>	<b>Benzos    Other</b>
<b>Anxiolytics (Total)</b>	3444 (100%)	2892 (83.97%)	552 (16.03%)	<u>5.24    1</u> p-value = 0.00001
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18    18-39</b>
<b>Antipsychotics</b>	798 (100%)	0 (0% in category <18) 0 (0% in antipsychotics)	116 (1.83% in category 18-39) 116 (14.54% in antipsychotics)	<u>-    1</u> p-value = 0.13104
		<b>18-39</b>	<b>40-60</b>	<b>18-39    40-60</b>
<b>Antipsychotics</b>	798 (100%)	116 (1.83% in category 18-39) 116 (14.54% in antipsychotics)	442 (3.93% in category 40-60) 442 (55.39% in antipsychotics)	<u>1    2.15</u> p-value = 0.00001
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60    &gt;60</b>

<b>Antipsychotics</b>	798 (100%)	442 (3.93% in category 40-60)	240 (6.86% in category >60)	1	1.74
		442 (55.39% in antipsychotics)	240 (30.08% in antipsychotics)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>Antipsychotics</b>	798 (100%)	116 (1.83% in category 18-39)	240 (6.86% in category >60)	1	3.75
		116 (14.54% in antipsychotics)	240 (30.08% in antipsychotics)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>FGAs</b>	79 (100%)	0 (0% in category <18)	11 (9.48% in antipsychotics 18-39)	-	1
		0 (0% in FGAs)	11 (13.92% in FGAs)	p-value = 0.63122	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>FGAs</b>	79 (100%)	11 (9.48% in antipsychotics 18-39)	42 (9.50% in antipsychotics 40-60)	1	1.002
		11 (13.92% in FGAs)	42 (53.16% in FGAs)	p-value = 0.02034	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>FGAs</b>	79 (100%)	42 (9.50% in antipsychotics 40-60)	26 (10.83% in antipsychotics >60)	1	1.14
		42 (53.16% in FGAs)	26 (32.91% in FGAs)	p-value = 0.0048	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>FGAs</b>	79 (100%)	11 (9.48% in antipsychotics 18-39)	26 (10.83% in antipsychotics >60)	1	1.14
		11 (13.92% in FGAs)	26 (32.91% in FGAs)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>SGAs</b>	719 (100%)	0 (0% in category <18)	105 (90.52% in antipsych 18-39)	-	1
		0 (0% in SGAs)	105 (14.60% in SGAs)	p-value = 0.13362	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>SGAs</b>	719 (100%)	105 (90.52% in antipsych 18-39)	400 (90.50% in antipsych 40-60)	1.0002	1
		105 (14.60% in SGAs)	400 (55.63% in SGAs)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>SGAs</b>	719 (100%)	400 (90.50% in antipsych 40-60)	214 (89.17% in antipsych >60)	1.01	1
		400 (55.63% in SGAs)	214 (29.76% in SGAs)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>SGAs</b>	719 (100%)	105 (90.52% in antipsych 18-39)	214 (89.17% in antipsych >60)	1.02	1
		105 (14.60% in SGAs)	214 (29.76% in SGAs)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>Antidepressants</b>	7660 (100%)	6 (4.51% in category <18)	1095 (17.27% in category 18-39)	1	12.76
		6 (0.08% in antidepressants)	1095 (14.30% in antidepressants)	p-value = 0.0001	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>Antidepressants</b>	7660 (100%)	1095 (17.27% in category 18-39)	4748 (42.23% in category 40-60)	1	2.45
		1095 (14.30% in antidepressants)	4748 (61.98% in antidepressants)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>Antidepressants</b>	7660 (100%)	4748 (42.23% in category 40-60)	1811 (51.76% in category >60)	1	1.23
		4748 (61.98% in antidepressants)	1811 (23.64% in antidepressants)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>Antidepressants</b>	7660 (100%)	1095 (17.27% in category 18-39)	1811 (51.76% in category >60)	1	2.99
		1095 (14.30% in antidepressants)	1811 (23.64% in antidepressants)	p-value = 0.00001	

		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>SSRIs</b>	4569 (100%)	4 (66.67% in category<18)	707 (64.57% in antidepress 18-39)	1.03	1
		4 (0.09% in SSRIs)	707 (15.47% in SSRIs)	p-value = 0.00298	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>SSRIs</b>	4569 (100%)	707 (64.57% in antidepress 18-39)	2800 (58.97% in antidep 40-60)	1.09	1
		707 (15.47% in SSRIs)	2800 (61.28% in SSRIs)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>SSRIs</b>	4569 (100%)	2800 (58.97% in antidep 40-60)	1058 (58.42% in antidep >60)	1.01	1
		2800 (61.28% in SSRIs)	1058 (23.16% in SSRIs)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>SSRIs</b>	4569 (100%)	707 (64.57% in antidepress 18-39)	1058 (58.42% in antidep >60)	1.11	1
		707 (15.47% in SSRIs)	1058 (23.16% in SSRIs)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>SNRIs</b>	1870 (100%)	0 (0% in category<18)	215 (16.63% in antidepress 18-39)	-	1
		0 (0% in SNRIs)	215 (11.50% in SNRIs)	p-value = 0.03078	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>SNRIs</b>	1870 (100%)	215 (16.63% in antidepress 18-39)	1208 (25.44% in antidep 40-60)	1	1.53
		215 (11.50% in SNRIs)	1208 (64.60% in SNRIs)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>SNRIs</b>	1870 (100%)	1208 (25.44% in antidep 40-60)	447 (24.68% in antidep >60)	1.03	1
		1208 (64.60% in SNRIs)	447 (23.90% in SNRIs)	p-value = 0.0009	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>SNRIs</b>	1870 (100%)	215 (16.63% in antidepress 18-39)	447 (24.68% in antidep >60)	1	1.48
		215 (11.50% in SNRIs)	447 (23.90% in SNRIs)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>Other antidepressants</b>	1221 (100%)	2 (33.33% in category<18)	173 (15.80% in antidepress 18-39)	2.11	1
		2 (0.16% in other antidepressants)	173 (14.17% in other antidepress)	p-value = 0.38978	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>Other antidepressants</b>	1221 (100%)	173 (15.80% in antidepress 18-39)	740 (15.59% in antidepress 40-60)	1.01	1
		173 (14.17% in other antidepress)	740 (60.61% in other antidepress)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>Other antidepressants</b>	1221 (100%)	740 (15.59% in antidepress 40-60)	306 (16.90% in antidepress >60)	1	1.08
		740 (60.61% in other antidepress)	306 (25.06% in other antidepress)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>Other antidepressants</b>	1221 (100%)	173 (15.80% in antidepress 18-39)	306 (16.90% in antidepress >60)	1	1.07
		173 (14.17% in other antidepress)	306 (25.06% in other antidepress)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>Anxiolytics</b>	3444 (100%)	1 (1.50% in category<18)	471 (7.43% in category 18-39)	1	4.95
		1 (0.06% in anxiolytics)	471 (13.68% in anxiolytics)	p-value = 0.00932	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>Anxiolytics</b>	3444 (100%)	471 (7.43% in category 18-39)	2058 (18.30% in category 40-60)	1	2.46

		471 (13.68% in anxiolytics)	2058 (59.76% in anxiolytics)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>Anxiolytics</b>	3444 (100%)	2058 (18.30% in category 40-60)	914 (26.12% in category >60)	1	1.43
		2058 (59.76% in anxiolytics)	914 (26.54% in anxiolytics)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>Anxiolytics</b>	3444 (100%)	471 (7.43% in category 18-39)	914 (26.12% in category >60)	1	3.52
		471 (13.68% in anxiolytics)	914 (26.54% in anxiolytics)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>Benzodiazepines</b>	2892 (100%)	1 (100% in anxiolytics <18)	396 (84.08% in anxiolytics 18-39)	1.19	1
		1 (0.03% in benzodiazepines)	396 (13.69% in benzodiazepines)	p-value = 0.00906	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>Benzodiazepines</b>	2892 (100%)	396 (84.08% in anxiolytics 18-39)	1758 (85.42% in anxiolytic 40-60)	1	1.02
		396 (13.69% in benzodiazepines)	1758 (60.79% in benzodiazepines)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>Benzodiazepines</b>	2892 (100%)	1758 (85.42% in anxiolytic 40-60)	737 (80.63% in anxiolytic >60)	1.06	1
		1758 (60.79% in benzodiazepines)	737 (25.48% in benzodiazepines)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>Benzodiazepines</b>	2892 (100%)	396 (84.08% in anxiolytics 18-39)	737 (80.63% in anxiolytic >60)	1.04	1
		396 (13.69% in benzodiazepines)	737 (25.48% in benzodiazepines)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>Other anxiolytics</b>	552 (100%)	0 (0% in anxiolytics <18)	75 (15.92% in anxiolytics 18-39)	-	1
		0 (0% in other anxiolytics)	75 (13.59% in other anxiolytics)	p-value = 0.00906	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>Other anxiolytics</b>	552 (100%)	75 (15.92% in anxiolytics 18-39)	300 (14.58% in anxiolytics 40-60)	1.09	1
		75 (13.59% in other anxiolytics)	300 (54.38% in other anxiolytics)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>Other anxiolytics</b>	552 (100%)	300 (14.58% in anxiolytics 40-60)	177 (19.37% in anxiolytics >60)	1	1.33
		300 (54.38% in other anxiolytics)	177 (32.07% in other anxiolytics)	p-value = 0.00001	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>
<b>Other anxiolytics</b>	552 (100%)	75 (15.92% in anxiolytics 18-39)	177 (19.37% in anxiolytics >60)	1	1.22
		75 (13.59% in other anxiolytics)	177 (32.07% in other anxiolytics)	p-value = 0.00001	
		<b>&lt;18</b>	<b>18-39</b>	<b>&lt;18</b>	<b>18-39</b>
<b>Psychostimulants</b>	1055 (100%)	0 (0% in category <18)	147 (2.32% in category 18-39)	-	1
		0 (0% in psychostimulants)	147 (13.93% in psychostimulants)	p-value = 0.07508	
		<b>18-39</b>	<b>40-60</b>	<b>18-39</b>	<b>40-60</b>
<b>Psychostimulants</b>	1055 (100%)	147 (2.32% in category 18-39)	671 (5.97% in category 40-60)	1	2.57
		147 (13.93% in psychostimulants)	671 (63.60% in psychostimulants)	p-value = 0.00001	
		<b>40-60</b>	<b>&gt;60</b>	<b>40-60</b>	<b>&gt;60</b>
<b>Psychostimulants</b>	1055 (100%)	671 (5.97% in category 40-60)	237 (6.77% in category >60)	1	1.13
		671 (63.60% in psychostimulants)	237 (22.46% in psychostimulants)	p-value = 0.08364	
		<b>18-39</b>	<b>&gt;60</b>	<b>18-39</b>	<b>&gt;60</b>

<b>Psychostimulants</b>	1055 (100%)	147 (2.32% in category 18-39)	237 (6.77% in category >60)	1	2.92
		147 (13.93% in psychostimulants)	237 (22.46% in psychostimulants)	p-value = 0.00001	
		<b>Antidepressants</b>	<b>Anxiolytics</b>	<b>Antidep</b>	<b>Anxioly</b>
<b>Medications (&lt;18)</b>	133 (100%)	6 (4.51% in category<18)	1 (1.50% in category<18)	1.3	1
		6 (0.08% in antidepressants)	1 (0.06% in anxiolytics)	p-value = 0.33706	
		<b>Antidepressants</b>	<b>Antipsychotics</b>	<b>Antidep</b>	<b>Antipsy</b>
<b>Medications (&lt;18)</b>	133 (100%)	6 (4.51% in category<18)	0 (0% in category<18)	1	-
		6 (0.08% in antidepressants)	0 (0% in antipsychotics)	p-value = 0.42952	
		<b>Antidepressants</b>	<b>Psychostimulants</b>	<b>Antidep</b>	<b>Stimul</b>
<b>Medications (&lt;18)</b>	133 (100%)	6 (4.51% in category<18)	0 (0% in category<18)	1	-
		6 (0.08% in antidepressants)	0 (0% in psychostimulants)	p-value = 0.36282	
		<b>Anxiolytics</b>	<b>Antipsychotics</b>	<b>Antidep</b>	<b>Antipsy</b>
<b>Medications (&lt;18)</b>	133 (100%)	1 (1.50% in category<18)	0 (0% in category<18)	1	-
		1 (0.06% in anxiolytics)	0 (0% in antipsychotics)	p-value = 0.63122	
		<b>Anxiolytics</b>	<b>Psychostimulants</b>	<b>Antidep</b>	<b>Antipsy</b>
<b>Medications (&lt;18)</b>	133 (100%)	1 (1.50% in category<18)	0 (0% in category<18)	1	-
		1 (0.06% in anxiolytics)	0 (0% in psychostimulants)	p-value = 0.58232	
		<b>SSRIs</b>	<b>Other</b>	<b>SSRIs</b>	<b>Other</b>
<b>Antidepressants (&lt;18)</b>	6 (100%)	4 (66.67% in category<18)	2 (33.33% in category<18)	1	1.7
		4 (0.09% in SSRIs)	2 (0.16% in other antidepressants)	p-value = 0.4593	
		<b>Benzodiazepines</b>	<b>Other</b>	<b>Benzos</b>	<b>Other</b>
<b>Anxiolytics (&lt;18)</b>	1 (100%)	1 (100% in category<18)	0 (0% in category<18)	1	-
		1 (0.03% in benzodiazepines)	0 (0% in other anxiolytics)	p-value = 0.65994	
		<b>Psychostimulants</b>	<b>Antidepressants</b>	<b>Stimul</b>	<b>Antidep</b>
<b>Medications (18-39)</b>	6342 (100%)	147 (2.32% in category 18-39)	1095 (17.27% in category 18-39)	1	1.03
		147 (13.93% in psychostimulants)	1095 (14.30% in antidepressants)	p-value = 0.14986	
		<b>Antipsychotics</b>	<b>Anxiolytics</b>	<b>Antipsy</b>	<b>Anxioly</b>
<b>Medications (18-39)</b>	6342 (100%)	116 (1.83% in category 18-39)	471 (7.43% in category 18-39)	1.06	1
		116 (14.54% in antipsychotics)	471 (13.68% in anxiolytics)	p-value = 0.5287	
		<b>Antipsychotics</b>	<b>Antidepressants</b>	<b>Antipsy</b>	<b>Antidep</b>
<b>Medications (18-39)</b>	6342 (100%)	116 (1.83% in category 18-39)	1095 (17.27% in category 18-39)	1.02	1.03
		116 (14.54% in antipsychotics)	1095 (14.30% in antidepressants)	p-value = 0.8493	
		<b>Psychostimulants</b>	<b>Antipsychotics</b>	<b>Stimul</b>	<b>Antipsy</b>
<b>Medications (18-39)</b>	6342 (100%)	147 (2.32% in category 18-39)	116 (1.83% in category 18-39)	1	1.04
		147 (13.93% in psychostimulants)	116 (14.54% in antipsychotics)	p-value = 0.71138	
		<b>Antidepressants</b>	<b>Anxiolytics</b>	<b>Antidep</b>	<b>Anxioly</b>
<b>Medications (18-39)</b>	6342 (100%)	1095 (17.27% in category 18-39)	471 (7.43% in category 18-39)	1.04	1
		1095 (14.30% in antidepressants)	471 (13.68% in anxiolytics)	p-value = 0.3843	
		<b>Psychostimulants</b>	<b>Anxiolytics</b>	<b>Stimul</b>	<b>Anxioly</b>
<b>Medications (18-39)</b>	6342 (100%)	147 (2.32% in category 18-39)	471 (7.43% in category 18-39)	1.02	1
		147 (13.93% in psychostimulants)	471 (13.68% in anxiolytics)	p-value = 0.83366	
		<b>FGAs</b>	<b>SGAs</b>	<b>FGAs</b>	<b>SGAs</b>
<b>Antipsychotics (18-39)</b>	116 (100%)	11 (9.48% in antipsychotics 18-39)	105 (90.52% in antipsych 18-39)	1	1.05

		11 (13.92% in category FGAs)	105 (14.60% in category SGAs)	p-value = 0.87288	
		<b>SSRIs</b>	<b>SNRIs</b>	<b>SSRIs</b>	<b>SNRIs</b>
<b>Antidepressants (18-39)</b>	1095 (100%)	707 (64.57% in antidepress 18-39)	215 (16.63% in antidepress 18-39)	1.35	1
		707 (15.47% in SSRIs)	215 (11.50% in SNRIs)	p-value = 0.00001	
		<b>SSRIs</b>	<b>Other</b>	<b>SSRIs</b>	<b>Other</b>
<b>Antidepressants (18-39)</b>	1095 (100%)	707 (64.57% in antidepress 18-39)	173 (15.80% in antidepress 18-39)	1.09	1
		707 (15.47% in SSRIs)	173 (14.17% in other antidepress)	p-value = 0.25848	
		<b>SNRIs</b>	<b>Other</b>	<b>SNRIs</b>	<b>Other</b>
<b>Antidepressants (18-39)</b>	1095 (100%)	215 (16.63% in antidepress 18-39)	173 (15.80% in antidepress 18-39)	1	1.23
		215 (11.50% in SNRIs)	173 (14.17% in other antidepress)	p-value = 0.02852	
		<b>Benzodiazepines</b>	<b>Other</b>	<b>Benzos</b>	<b>Other</b>
<b>Anxiolytics (18-39)</b>	471 (100%)	396 (84.08% in anxiolytics 18-39)	75 (15.92% in anxiolytics 18-39)	1.007	1
		396 (13.69% in benzodiazepines)	75 (13.59% in other anxiolytics)	p-value = 0.9442	
		<b>Psychostimulants</b>	<b>Antidepressants</b>	<b>Stimul</b>	<b>Antidep</b>
<b>Medications (40-60)</b>	11244 (100%)	671 (5.97% in category 40-60)	4748 (42.23% in category 40-60)	1.03	1
		671 (63.60% in psychostimulants)	4748 (61.98% in antidepressants)	p-value = 0.30772	
		<b>Antipsychotics</b>	<b>Anxiolytics</b>	<b>Antipsy</b>	<b>Anxioly</b>
<b>Medications (40-60)</b>	11244 (100%)	442 (3.93% in category 40-60)	2058 (18.30% in category 40-60)	1	1.08
		442 (55.39% in antipsychotics)	2058 (59.76% in anxiolytics)	p-value = 0.02382	
		<b>Antipsychotics</b>	<b>Antidepressants</b>	<b>Antipsy</b>	<b>Antidep</b>
<b>Medications (40-60)</b>	11244 (100%)	442 (3.93% in category 40-60)	4748 (42.23% in category 40-60)	1	1.12
		442 (55.39% in antipsychotics)	4748 (61.98% in antidepressants)	p-value = 0.00028	
		<b>Psychostimulants</b>	<b>Antipsychotics</b>	<b>Stimul</b>	<b>Antipsy</b>
<b>Medications (40-60)</b>	11244 (100%)	671 (5.97% in category 40-60)	442 (3.93% in category 40-60)	1.15	1
		671 (63.60% in psychostimulants)	442 (55.39% in antipsychotics)	p-value = 0.00036	
		<b>Antidepressants</b>	<b>Anxiolytics</b>	<b>Antidep</b>	<b>Anxioly</b>
<b>Medications (40-60)</b>	11244 (100%)	4748 (42.23% in category 40-60)	2058 (18.30% in category 40-60)	1.04	1
		4748 (61.98% in antidepressants)	2058 (59.76% in anxiolytics)	p-value = 0.02574	
		<b>Psychostimulants</b>	<b>Anxiolytics</b>	<b>Stimul</b>	<b>Anxioly</b>
<b>Medications (40-60)</b>	11244 (100%)	671 (5.97% in category 40-60)	2058 (18.30% in category 40-60)	1.06	1
		671 (63.60% in psychostimulants)	2058 (59.76% in anxiolytics)	p-value = 0.0251	
		<b>FGAs</b>	<b>SGAs</b>	<b>FGAs</b>	<b>SGAs</b>
<b>Antipsychotics (40-60)</b>	442 (100%)	42 (9.50% in antipsychotics 40-60)	400 (90.50% in antipsych 40-60)	1	1.05
		42 (53.16% in category FGAs)	400 (55.63% in category SGAs)	p-value = 0.67448	
		<b>SSRIs</b>	<b>SNRIs</b>	<b>SSRIs</b>	<b>SNRIs</b>
<b>Antidepressants (40-60)</b>	4748 (100%)	2800 (58.97% in antidep 40-60)	1208 (25.44% in antidep 40-60)	1	1.05
		2800 (61.28% in SSRIs)	1208 (64.60% in SNRIs)	p-value = 0.01278	
		<b>SSRIs</b>	<b>Other</b>	<b>SSRIs</b>	<b>Other</b>
<b>Antidepressants (40-60)</b>	4748 (100%)	2800 (58.97% in antidep 40-60)	740 (15.59% in antidepress 40-60)	1.01	1
		2800 (61.28% in SSRIs)	740 (60.61% in other antidepress)	p-value = 0.6672	
		<b>SNRIs</b>	<b>Other</b>	<b>SNRIs</b>	<b>Other</b>
<b>Antidepressants (40-60)</b>	4748 (100%)	1208 (25.44% in antidep 40-60)	740 (15.59% in antidepress 40-60)	1.07	1

		1208 (64.60% in SNRIs)	740 (60.61% in other antidepress)	p-value = 0.02444	
		<b>Benzodiazepines</b>	<b>Other</b>	<b>Benzos</b>	<b>Other</b>
<b>Anxiolytics (40-60)</b>	2058 (100%)	1758 (85.42% in anxiolytic 40-60)	300 (14.58% in anxiolytics 40-60)	1.12	1
		1758 (60.79% in benzodiazepines)	300 (54.38% in other anxiolytics)	p-value = 0.00466	
		<b>Psychostimulants</b>	<b>Antidepressants</b>	<b>Stimul</b>	<b>Antidep</b>
<b>Medications (&gt;60)</b>	3499 (100%)	237 (6.77% in category >60)	1811 (51.76% in category >60)	1	1.05
		237 (22.46% in psychostimulants)	1811 (23.64% in antidepressants)	p-value = 0.39532	
		<b>Antipsychotics</b>	<b>Anxiolytics</b>	<b>Antipsy</b>	<b>Anxioly</b>
<b>Medications (&gt;60)</b>	3499 (100%)	240 (6.86% in category >60)	914 (26.12% in category >60)	1.13	1
		240 (30.08% in antipsychotics)	914 (26.54% in anxiolytics)	p-value = 0.04338	
		<b>Antipsychotics</b>	<b>Antidepressants</b>	<b>Antipsy</b>	<b>Antidep</b>
<b>Medications (&gt;60)</b>	3499 (100%)	240 (6.86% in category >60)	1811 (51.76% in category >60)	1.27	1
		240 (30.08% in antipsychotics)	1811 (23.64% in antidepressants)	p-value = 0.00001	
		<b>Psychostimulants</b>	<b>Antipsychotics</b>	<b>Stimul</b>	<b>Antipsy</b>
<b>Medications (&gt;60)</b>	3499 (100%)	237 (6.77% in category >60)	240 (6.86% in category >60)	1	1.34
		237 (22.46% in psychostimulants)	240 (30.08% in antipsychotics)	p-value = 0.0002	
		<b>Antidepressants</b>	<b>Anxiolytics</b>	<b>Antidep</b>	<b>Anxioly</b>
<b>Medications (&gt;60)</b>	3499 (100%)	1811 (51.76% in category >60)	914 (26.12% in category >60)	1	1.12
		1811 (23.64% in antidepressants)	914 (26.54% in anxiolytics)	p-value = 0.00104	
		<b>Psychostimulants</b>	<b>Anxiolytics</b>	<b>Stimul</b>	<b>Anxioly</b>
<b>Medications (&gt;60)</b>	3499 (100%)	237 (6.77% in category >60)	914 (26.12% in category >60)	1	1.18
		237 (22.46% in psychostimulants)	914 (26.54% in anxiolytics)	p-value = 0.00804	
		<b>FGAs</b>	<b>SGAs</b>	<b>FGAs</b>	<b>SGAs</b>
<b>Antipsychotics (&gt;60)</b>	240 (100%)	26 (10.83% in antipsychotics >60)	214 (89.17% in antipsych >60)	1.10	1
		26 (32.91% in category FGAs)	214 (29.76% in category SGAs)	p-value = 0.56192	
		<b>SSRIs</b>	<b>SNRIs</b>	<b>SSRIs</b>	<b>SNRIs</b>
<b>Antidepressants (&gt;60)</b>	1811 (100%)	1058 (58.42% in antidep >60)	447 (24.68% in antidep >60)	1	1.03
		1058 (23.16% in SSRIs)	447 (23.90% in SNRIs)	p-value = 0.52218	
		<b>SSRIs</b>	<b>Other</b>	<b>SSRIs</b>	<b>Other</b>
<b>Antidepressants (&gt;60)</b>	1811 (100%)	1058 (58.42% in antidep >60)	306 (16.90% in antidepress >60)	1	1.08
		1058 (23.16% in SSRIs)	306 (25.06% in other antidepress)	p-value = 0.16452	
		<b>SNRIs</b>	<b>Other</b>	<b>SNRIs</b>	<b>Other</b>
<b>Antidepressants (&gt;60)</b>	1811 (100%)	447 (24.68% in antidep >60)	306 (16.90% in antidepress >60)	1	1.05
		447 (23.90% in SNRIs)	306 (25.06% in other antidepress)	p-value = 0.4654	
		<b>Benzodiazepines</b>	<b>Other</b>	<b>Benzos</b>	<b>Other</b>
<b>Anxiolytics (&gt;60)</b>	914 (100%)	737 (80.63% in anxiolytic >60)	177 (19.37% in anxiolytics >60)	1	1.26
		737 (25.48% in benzodiazepines)	177 (32.07% in other anxiolytics)	p-value = 0.00132	